



Ramificatie Y-Fit – Y universal

Gripple® ramificatie
Y-fit





Gripple® ramificatie
Y-fit accesoriu



AVANTAJE

- De pana la 6 ori mai rapid
- Dubla suspensie cu fixare intr-un singur punct la partea de sus
- Nu necesita pregatire in vederea montajului
- Nu necesita scule pt montaj
- Reglare rapida
- Distribuie mai bine greutatea si maresc stabilitatea
- Demontabil
- Agrementat

Modalitate de utilizare



Aplicatii



Gama Gripple® ramificatie Y
este ideala pentru a suspenda:

- Paturi de cablu
- Luminatoare



Poduri de cablu



Poduri de cablu



*Pat de cablu
perforat*



*Pat de cablu
folosind ancora fir*



Paturi de cablu



Corpuri de iluminat

Aplicatii

Gama Gripple® ramificatie Y este ideala pentru a suspenda:

Grinzi de racire

Unitati de aer conditionat

Tevi de refrigerare in pat de cablu

Panouri radiante



Grinzi de racire



Unitati de aer conditionat




Tevi de refrigerare in pat de cablu



Panouri radiante

Modalitate de utilizare



Gripple® ramificatie Y



Gripple® ramificatie Y sau ramificatie Y accesoriu

Gripple® ramificatie Y

A: 1, 2 si 3 m

B: 150, 300, 500 si 800 mm




Disponibil in marimile Nr.1, Nr.2 si Nr. 3 + varianta din inox (EF6, EF8 si EM) Nr.2 si Nr.3

Gripple® ramificatie Y accesoriu

B: 150, 300, 500 si 800 mm



Disponibil in marimile Nr.1, Nr.2 si Nr.3 + varianta din inox (EF6, EF8 si EM) Nr.2 si Nr.3



Configuratie de montaj	Solutie recomandata
Inaltime < 2 m	Gripple® ramificatie Y
Inaltime > 2 m	Gripple® ramificatie Y accesoriu + Gripple® HF

Coduri

Terminatii fixe	Marime	Lungime (m) A	Solutie Gripple®	Nr.1 0-10 kg				Nr.2 10-45 kg				Nr.3 45-90 kg			
				B = 150 mm	B = 300 mm	B = 500 mm	B = 800 mm	B = 150 mm	B = 300 mm	B = 500 mm	B = 800 mm	B = 150 mm	B = 300 mm	B = 500 mm	B = 800 mm
 EC	Gripple® ramificatie Y accesoriu		Y1AJ150EC	Y1AJ300EC	Y1AJ500EC	Y1AJ800EC	Y2AJ150EC	Y2AJ300EC	Y2AJ500EC	Y2AJ800EC	Y3AJ150EC	Y3AJ300EC	Y3AJ500EC	Y3AJ800EC	
	1	Gripple® ramificatie Y	YF11EC150	YF11EC300	YF11EC500	YF11EC800	YF21EC150	YF21EC300	YF21EC500	YF21EC800	YF31EC150	YF31EC300	YF31EC500	YF31EC800	
	2		YF12EC150	YF12EC300	YF12EC500	YF12EC800	YF22EC150	YF22EC300	YF22EC500	YF22EC800	YF32EC150	YF32EC300	YF32EC500	YF32EC800	
	3		YF13EC150	YF13EC300	YF13EC500	YF13EC800	YF23EC150	YF23EC300	YF23EC500	YF23EC800	YF33EC150	YF33EC300	YF33EC500	YF33EC800	
 EM	Gripple® ramificatie Y accesoriu		Y1AJ150EM	Y1AJ300EM	Y1AJ500EM	Y1AJ800EM	Y2AJ150EM	Y2AJ300EM	Y2AJ500EM	Y2AJ800EM	Y3AJ150EM	Y3AJ300EM	Y3AJ500EM	Y3AJ800EM	
	1	Gripple® ramificatie Y	YF11EM150	YF11EM300	YF11EM500	YF11EM800	YF21EM150	YF21EM300	YF21EM500	YF21EM800	YF31EM150	YF31EM300	YF31EM500	YF31EM800	
	2		YF12EM150	YF12EM300	YF12EM500	YF12EM800	YF22EM150	YF22EM300	YF22EM500	YF22EM800	YF32EM150	YF32EM300	YF32EM500	YF32EM800	
	3		YF13EM150	YF13EM300	YF13EM500	YF13EM800	YF23EM150	YF23EM300	YF23EM500	YF23EM800	YF33EM150	YF33EM300	YF33EM500	YF33EM800	
 SP	Gripple® ramificatie Y accesoriu		Y1AJ150SP	Y1AJ300SP	Y1AJ500SP	Y1AJ800SP	Y2AJ150SP	Y2AJ300SP	Y2AJ500SP	Y2AJ800SP	Y3AJ150SP	Y3AJ300SP	Y3AJ500SP	Y3AJ800SP	
	1	Gripple® ramificatie Y	YF11SP150	YF11SP300	YF11SP500	YF11SP800	YF21SP150	YF21SP300	YF21SP500	YF21SP800	YF31SP150	YF31SP300	YF31SP500	YF31SP800	
	2		YF12SP150	YF12SP300	YF12SP500	YF12SP800	YF22SP150	YF22SP300	YF22SP500	YF22SP800	YF32SP150	YF32SP300	YF32SP500	YF32SP800	
	3		YF13SP150	YF13SP300	YF13SP500	YF13SP800	YF23SP150	YF23SP300	YF23SP500	YF23SP800	YF33SP150	YF33SP300	YF33SP500	YF33SP800	
 EF6	Gripple® ramificatie Y accesoriu		Y1AJ150EF6	Y1AJ300EF6	Y1AJ500EF6	Y1AJ800EF6	Y2AJ150EF6	Y2AJ300EF6	Y2AJ500EF6	Y2AJ800EF6	Y3AJ150EF6	Y3AJ300EF6	Y3AJ500EF6	Y3AJ800EF6	
	1	Gripple® ramificatie Y	YF11EF6150	YF11EF6300	YF11EF6500	YF11EF6800	YF21EF6150	YF21EF6300	YF21EF6500	YF21EF6800	YF31EF6150	YF31EF6300	YF31EF6500	YF31EF6800	
	2		YF12EF6150	YF12EF6300	YF12EF6500	YF12EF6800	YF22EF6150	YF22EF6300	YF22EF6500	YF22EF6800	YF32EF6150	YF32EF6300	YF32EF6500	YF32EF6800	
	3		YF13EF6150	YF13EF6300	YF13EF6500	YF13EF6800	YF23EF6150	YF23EF6300	YF23EF6500	YF23EF6800	YF33EF6150	YF33EF6300	YF33EF6500	YF33EF6800	

■ Pentru alte lungimi puteti contacta reprezentantii de vanzari.

Va recomandam sistemul carabina pentru paturile de cablu (ec) si un carlig de legatura pentru podurile de cablu (EM).